

# Appendix D Waste Flow Table

### Monthly Summary Waste Flow Table for 2022

| Month        | Actual Quantities of Inert C&D Materials Generated Monthly |  |                          |                          |   |                          | Actual Quantities of C&D Wastes Generated Monthly |                            |             |                |                |   |
|--------------|--|--|--------------------------|--------------------------|---|--------------------------|---|----------------------------|-------------|----------------|----------------|---|
|              | Total Quantity Generated                                   | Stockpiled for Reuse or Recycle <sup>(1)</sup> | Reused in 3RS Project    | Reused in other Projects | Disposed of at Public Fill Banks or Sorting Facilities <sup>(2)</sup> | Imported Fill            | Metals  | Paper/ cardboard packaging | Plastics    | Chemical Waste | Chemical Waste | Disposed of at Landfill (e.g. general refuse) |
|              | (in '000m <sup>3</sup> )                                   | (in '000m <sup>3</sup> )                       | (in '000m <sup>3</sup> ) | (in '000m <sup>3</sup> ) | (in '000m <sup>3</sup> )  | (in '000m <sup>3</sup> ) | (in '000 kg)                                      | (in '000kg)                | (in '000kg) | (in '000kg)    | (in '000L)     | (in '000kg)                                   |
| Yr 2022      |  |  |                          |                          |   |                          |   |                            |             |                |                |   |
| Jan          | 1.0624   | 0  | 0                        | 0                        | 1.0624  | 0                        | 0   | 0                          | 0           | 0              | 0              | 0   |
| Feb          | 0.4755   | 0  | 0                        | 0                        | 0.4755  | 0                        | 0   | 0                          | 0           | 0              | 0              | 0   |
| Mar          | 0.8420   | 0  | 0                        | 0                        | 0.8420  | 0                        | 0   | 0                          | 0           | 0              | 0              | 3.54  |
| Apr          | 1.4074   | 0  | 0                        | 0                        | 1.4074  | 0                        | 0   | 0                          | 0           | 0              | 0              | 7.30  |
| May          |  |  |                          |                          |   |                          |   |                            |             |                |                |   |
| Jun          |  |  |                          |                          |   |                          |   |                            |             |                |                |   |
| Jul          |  |  |                          |                          |   |                          |   |                            |             |                |                |   |
| Aug          |  |  |                          |                          |   |                          |   |                            |             |                |                |   |
| Sep          |  |  |                          |                          |   |                          |   |                            |             |                |                |   |
| Oct          |  |  |                          |                          |   |                          |   |                            |             |                |                |   |
| Nov          |  |  |                          |                          |   |                          |   |                            |             |                |                |   |
| Dec          |  |  |                          |                          |   |                          |   |                            |             |                |                |   |
| <b>Total</b> | <b>3.7873</b>  | <b>0</b>                                       | <b>0</b>                 | <b>0</b>                 | <b>3.7873</b>   | <b>0</b>                 | <b>0</b>  | <b>0</b>                   | <b>0</b>    | <b>0</b>       | <b>0</b>       | <b>10.84</b>                                  |

Notes: (1) All inert C&D materials will be reused in the Contract/other Projects  
 (2) Assume all materials disposed of at public fill banks or sorting facility have a density of 2 tonne/m<sup>3</sup>